

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	21	("5446369" or "4780664" or "638451" or "3148348" or "2003029232" or "4380763" or "5338432").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 08:49
S2	5	("5446369" or "4780664" or "638451" or "3148348" or "2003029232" or "4380763" or "5338432").pn.	US-PGPUB; USPAT	OR	ON	2006/02/27 10:41
S3	6	("5446369" or "4780664" or "638451" or "3148348" or "20030029232" or "4380763" or "5338432").pn.	US-PGPUB; USPAT	OR	ON	2006/02/27 10:59
S4	7	(micro\$sensor or sensor) and corrosive near4 track	US-PGPUB; USPAT	OR	ON	2006/02/27 11:00
S5	39	corrosive near(micro\$sensor or sensor) and @pd<"20011001"	US-PGPUB; USPAT	OR	ON	2006/02/28 11:47
S6	164	422/53.ccls. and @pd<"20011001"	US-PGPUB; USPAT	OR	ON	2006/02/27 11:37
S7	31	422/53.ccls. and @pd<"20011001" and (track or strip or groove)	US-PGPUB; USPAT	OR	ON	2006/02/27 11:37
S8	42	422/53.ccls. and @pd<"20011001" and (track or strip or groove or channel)	US-PGPUB; USPAT	OR	ON	2006/02/27 11:40
S9	8	("5446369" or "4780664" or "6383451" or "3148348" or "20030029232" or "4380763" or "5338432" or "5952836").pn.	US-PGPUB; USPAT	OR	ON	2006/02/27 11:44
S10	335	(corrosiv\$ or corrosion) adj (micro\$sensor or sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:00
S11	6	("5286357" or "4780664" or "5338432").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:01
S12	3	("5286357" or "4780664" or "5338432").PN.	USPAT	OR	ON	2006/02/27 14:01
S13	3	("5286357" or "4780664" or "5338432").PN. and metal\$	USPAT	OR	ON	2006/02/27 15:31

## EAST Search History

S14	1	("5286357" or "4780664" or "5338432").PN. and (gold or platinum)	USPAT	OR	ON	2006/02/27 15:01
S15	1	"4780664".pn. and gap	USPAT	OR	ON	2006/02/27 15:08
S16	1	"4780664".pn. and resist\$	USPAT	OR	ON	2006/02/27 15:08
S17	1	("5286357" or "4780664" or "5338432").PN. and temperature	USPAT	OR	ON	2006/02/27 15:31
S18	12	(US-3936737-\$ or US-4306127-\$ or US-5251981-\$ or US-5378429-\$ or US-5338432-\$ or US-4780664-\$ or US-5446369-\$ or US-5286357-\$). did. or (EP-528554-\$ or US-5306414-\$ or US-5310470-\$ or US-6564620-\$).did.	USPAT; DERWENT	OR	ON	2006/02/27 15:49
S19	3	S18 and galv\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/27 16:00
S20	5	S18 and aluminum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/27 16:00
S21	2	"4822566".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 08:43
S22	2	"5286357".pn. and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 08:47
S23	1	"4780664".pn. and metal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:06
S24	1	"5286357".pn. and resist\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:07

## EAST Search History

S25	13	(US-5446369-\$ or US-5338432-\$ or US-5286357-\$ or US-4780664-\$ or US-4306127-\$ or US-3936737-\$ or US-5378429-\$ or US-5251981-\$ or US-4822566-\$).did. or (US-6564620-\$ or US-5306414-\$ or EP-528554-\$ or US-5310470-\$).did.	USPAT; DERWENT	OR	ON	2006/02/28 09:09
S26	2	S25 and temperature adj sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:18
S27	2707	temperature adj sensor and (corrosive or corrosion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:18
S28	15	temperature adj sensor and (corrosive or corrosion)near sensor and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:03
S29	15	(temperature adj sensor or thermometer adj sensor or thermometer) and (corrosive or corrosion)near sensor and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:05
S30	15	(temperature adj sensor or thermometer adj sensor or thermometer) and (corrosive or corrosion or corrosivity)near sensor and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:06
S31	16	(temperature adj sensor or thermometer adj sensor or thermometer or thermocouple) and (corrosive or corrosion or corrosivity)near sensor and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:08
S32	4	(temperature adj sensor or thermometer adj sensor or thermometer or thermocouple) and (corrosive or corrosion or corrosivity)near sensor and @pd<"20011001" and (pt or platinum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:19

## EAST Search History

S33	4	(temperature adj sensor or thermometer adj sensor or thermometer or thermocouple or temperature adj sensing) and (corrosive or corrosion or corrosivity)near sensor and @pd<"20011001" and (pt or platinum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:20
S34	16	(temperature adj sensor or thermometer adj sensor or thermometer or thermocouple or temperature adj sensing) and (corrosive or corrosion or corrosivity)near sensor and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:21
S35	6468	(temperature adj sensor or thermometer adj sensor or thermometer or thermocouple or temperature adj sensing) and (corrosive or corrosion or corrosivity) and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:22
S36	471	(temperature adj sensor or thermometer adj sensor or thermometer or thermocouple or temperature adj sensing) and (corrosive or corrosion or corrosivity)same sensor and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:22
S37	125	(temperature adj sensor or thermometer adj sensor or thermometer or thermocouple or temperature adj sensing) and (corrosive or corrosion or corrosivity)same sensor and @pd<"20011001" and (pt or platinum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:27
S38	1	"4306127".pn. and temp\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:34
S39	6	(corrosion or corrosivity)near sensor and (prt or rtd) and @pd<"20011001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:58
S40	0	"5338432".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:59

## EAST Search History

S41	0	"5286357".pn. and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:59
S42	2	"5286357".pn. and "5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:00
S43	2	"5286357".pn. and "3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:25
S44	1	"5286357".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:26
S45	2	"5139627".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:26
S46	0	"5139627".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:26
S47	174	(corrosive or corrosion or corrosivity) near(micro\$ensor or sensor) and @pd<"20011001"	US-PGPUB; USPAT	OR	ON	2006/02/28 11:47
S48	66	(corrosive or corrosion or corrosivity) near(micro\$ensor or sensor) and @pd<"20011001" and aluminum	US-PGPUB; USPAT	OR	ON	2006/02/28 11:47
S49	8	("5446369" or "4780664" or "6383451" or "3148348" or "20030029232" or "4380763" or "5338432" or "5952836").pn.	US-PGPUB; USPAT	OR	ON	2006/02/28 13:18
S50	1	"4380763".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:21

## EAST Search History

S51	1	"5286357".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:24
S52	1	"4780664".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:24
S53	20	(US-20030029232-\$).did. or (US-4822566-\$ or US-3936737-\$ or US-4306127-\$ or US-5251981-\$ or US-3148348-\$ or US-5378429-\$ or US-4380763-\$ or US-4780664-\$ or US-5338432-\$ or US-5446369-\$ or US-5286357-\$ or US-5437773-\$ or US-5139627-\$ or US-5952836-\$ or US-6383451-\$).did. or (US-5310470-\$ or US-5306414-\$ or US-6564620-\$ or EP-528554-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/03/01 15:32
S54	0	S53 and anneal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:32
S55	9	S53 and (air\$1craft or airplane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:35
S56	1	"5437773".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:40
S57	1	"5437773".pn. and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 15:48
S58	1	"5437773".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 16:11
S59	1	S53 and grain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 16:11

## EAST Search History

S60	11	S53 and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 16:16
S61	6	S53 and sputter\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/01 16:16
S62	2	"0932037".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 08:49
S63	0	ep0932037.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 08:49
S64	0	ep0932037.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 08:50
S65	0	ep0932037	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 08:58
S66	2	"5446369".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 08:58
S67	1	"5446369".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 09:15
S68	0	"4780664".pn. and sputter\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 09:16
S69	1	"4780664".pn. and film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 09:16

## EAST Search History

S70	20	(US-20030029232-\$).did. or (US-3936737-\$ or US-4380763-\$ or US-4780664-\$ or US-5286357-\$ or US-4306127-\$ or US-3148348-\$ or US-6383451-\$ or US-5251981-\$ or US-5338432-\$ or US-5378429-\$ or US-5437773-\$ or US-5446369-\$ or US-5952836-\$ or US-4822566-\$ or US-5139627-\$).did. or (EP-528554-\$ or US-5306414-\$ or US-5310470-\$ or US-6564620-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/03/02 09:22
S71	0	S70 and anneal\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 09:26
S72	1	"5437773".pn. and sputter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 09:44
S73	2	"5286357".pn. and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 09:45
S74	1	"5286357".pn. and sensor near5(made or manufact\$ or form\$ or produc\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 09:46
S75	1	"5286357".pn. and alloy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/02 11:07
S76	11	("3108242" or "3124771" or "3854087" or "3857094" or "4217544" or "4326164" or "4338563" or "4741204" or "4780664" or "5243297" or "5332961").pn.	USPAT	OR	ON	2006/03/02 11:09
S77	4	("3108242" or "3124771" or "3854087" or "3857094" or "4217544" or "4326164" or "4338563" or "4741204" or "4780664" or "5243297" or "5332961").pn. and (wheatstone or kelvin adj bridge)	USPAT	OR	ON	2006/03/02 11:09